EUROPEAN PATENT OFFICE

Patent Abstracts of Japan

PUBLICATION NUMBER

2000028623

PUBLICATION DATE

28-01-00

APPLICATION DATE

13-07-98

APPLICATION NUMBER

10196892

APPLICANT: ALOKA CO LTD;

INVENTOR :


KITAO YOSHIYUKI;

INT.CL.

G01N 35/10

TITLE

DISPENSER



ABSTRACT :

PROBLEM TO BE SOLVED: To remove the liquid bonded to the outer surface or leading end of a nozzle in a dispenser and to smoothly suck or discharge a liquid of high viscosity.

SOLUTION: An ultrasonic vibrator 30 is provided to a nozzle 10 to be driven with a predetermined timing. For example, if the nozzle 10 is vibrated after a liquid is sucked or before the liquid is discharged, the liquid bonded to the leading end or outer surface of the nozzle 10 can be shaken off. If the nozzle 10 is vibrated during suction and discharge, there is a beneficial point in that a liquid especially high in viscosity can be smoothly sucked or discharged. Furthermore, if the nozzle 10 is vibrated at the washing of the nozzle 10, there is a benefit in that the cleaning effect is enhanced.

COPYRIGHT: (C)2000,JPO

(12) NACH DEM VERTRAG ÜBER DIE INTERNATIONALE ZUSAMMENARBEIT AUF DEM GEBIET DES PATENTWESENS (PCT) VERÖFFENTLICHTE INTERNATIONALE ANMELDUNG

(19) Weltorganisation für geistiges Eigentum Internationales Büro



. I MBOL BUILDER IN BOOK BOND ON BEIN ONE EIN BOND BUILD BOND HER BUILD BOND FOR BUILD BOND HER HER FOR FOR FU

(43) Internationales Veröffentlichungsdatum 12. August 2004 (12.08.2004)

PCT

(10) Internationale Veröffentlichungsnummer WO 2004/067177 A1

(51) Internationale Patentklassifikation⁷: G01N 35/10

B01L 3/02,

(21) Internationales Aktenzeichen: PCT/EP2004/000823

(22) Internationales Anmeldedatum:

30. Januar 2004 (30.01.2004)

(25) Einreichungssprache:

Deutsch

(26) Veröffentlichungssprache:

Deutsch

(30) Angaben zur Priorität: 103 04 018.8 1. Februar 2003 (01.02.2003) DE


(71) Anmelder (für alle Bestimmungsstaaten mit Ausnahme von US): EVOTEC OAI AG [DE/DE]; Schnackenburgallee 114, 22525 Hamburg (DE). (72) Erfinder; und

- (75) Erfinder/Anmelder (nur für US): WENDT, Oliver [DE/DE]; Hartwig-Hesse-strasse 7, 20257 Hamburg (DE). PRECKEL, Hartwig [DE/DE]; Reetwerder 17, 21029 Hamburg (DE).
- (74) Anwälte: VON KIRSCHBAUM, Alexander usw.; Deichmannhaus Am Dom, Bahnhofsvorplatz 1, 50667 Köln (DE).
- (81) Bestimmungsstaaten (soweit nicht anders angegeben, für jede verfügbare nationale Schutzrechtsart): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, Fl, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG,

[Fortsetzung auf der nächsten Seite]

(54) Title: DISPENSING METHOD

(54) Bezeichnung: DISPENSIERVERFAHREN



H

- (57) Abstract: The invention relates to a method for cleaning a fluid supply device (10), such as a dispensing or pipetting device, whereby a flushing of the fluid chamber (12) can occur in a cleaning step (R). According to the invention, in order to remove gas bubbles in the fluid chamber for example, the fluid in the fluid chamber (12) is set in vibration during the cleaning step (R).
- (57) Zusammenfassung: Bei einem Verfahren zum Reinigen einer Flüssigkeitsfördervorrichtung (10), wie einer Dispensier- oder Pipettiervorrichtung, kann in einem Reinigungsschritt (R) ein Spülen der Flüssigkeitskammer (12) erfolgen. Um in der Flüssigkeitskammer beispielsweise vorhandene Gasblasen zu entfernen, wird die in der Flüssigkeitskammer (12) vorhandene Flüssigkeit erfindungsgemäß während des Reinigungsschrittes (R) in Schwingungen versetzt.



A. CLASSIFICATION OF SUBJECT MATTER IPC 7 B01L3/02 G01N35/10			
According to International Patent Classification (IPC) or to both national classification and IPC			
B. FIELDS SEARCHED			
Minimum documentation searched (classification system followed by classification symbols) IPC 7 B01L G01N			
Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched			
Electronic data base consulted during the international search (name of data base and, where practical, search terms used)			
EPO-Internal, WPI Data, PAJ			
C. DOCUMENTS CONSIDERED TO BE RELEVANT			
Category ° Citation	on of document, with indication, where appropriate, of the releva	ant passages	Relevant to claim No.
2	S 2001/016177 A1 (MEYER WILHELM 3 August 2001 (2001-08-23) paragraph '0049! - paragraph '005		1-7
5	DE 36 14 960 A (SCHULZ PETER) November 1987 (1987-11-05) column 3, line 44 -column 4, line	66	1
V 3 8 2	PATENT ABSTRACTS OF JAPAN 201. 2000, no. 04, 31 August 2000 (2000-08-31) 32 JP 2000 028623 A (ALOKA CO LTD), 28 January 2000 (2000-01-28) 28 abstract		1
Further documents are listed in the continuation of box C. X Patent family members are listed in annex.			
"T" tater document published after the international filing date or priority date and not in conflict with the application but cled to understand the principle or theory underlying the invention "E" earlier document but published on or after the international filing date "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another clation or other special reason (as specified) "O" document referring to an oral disclosure, use, exhibition or other means "P" document published prior to the international filing date but later than the priority date claimed "X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art. "8" document member of the same patent family			
Date of the actual completion of the international search Date of malling of the international search report			
	y 2004	18/05/2004	
E	g address of the ISA European Patent Office, P.B. 5818 Patentlaan 2 NL – 2280 HV Rijswijk Tel. (+31–70) 340–2040, Tx. 31 651 epo nl,	Authorized officer Tragoustis, M	

Pipette

Patent number:

DE3614960

Publication date:

1987-11-05

Inventor:

SCHULZ PETER DR MED (DE)

Applicant:

SCHULZ PETER

Classification:

- international:

G01N35/10; G01N35/10; (IPC1-7): B01L3/02; B06B1/06;

G01N1/10; G01N35/00

- european:

G01N35/10B

Application number: DE19863614960 19860502 Priority number(s): DE19863614960 19860502

Report a data error here

Abstract of DE3614960

The invention relates to a pipette, in particular for an arrangement for the automatic analysis of liquids, having a pipette tube. In this case, the pipette tube cooperates with a high-frequency vibration generator, in particular during its cleaning step.

Data supplied from the esp@cenet database - Worldwide